

# Foundations of Semantic Web Technologies

## Tutorial 2

Sebastian Rudolph

SS 2015

**Exercise 2.1.** Consider the following RDF document with information about celestial bodies.

```
@prefix ex: <http://example.org/> .
ex:sun    ex:radius "1.392e6"^^xsd:double ;
          ex:satellite    ex:mercury , ex:venus ,
                          ex:earth ,   ex:mars .
ex:mercury ex:radius "2439.7"^^xsd:double .
ex:venus   ex:radius "6051.9"^^xsd:double .
ex:earth   ex:radius "6372.8"^^xsd:double ;
          ex:satellite    ex:moon .
ex:mars    ex:radius "3402.5"^^xsd:double ;
          ex:satellite    ex:phobos, ex:deimos .
ex:moon    ex:name    "Mond@de", "Moon@en" ;
          ex:radius    "1737.1"^^xsd:double .
ex:phobos  ex:name    "Phobos" .
ex:deimos  ex:name    "Deimos" .
```

Specify SPARQL queries which yield the following results in the form of a table.

- Objects which orbit around the sun or around a satellite of the sun.
- Objects with a volume greater than  $2 \cdot 10^{10}$  (km<sup>3</sup>) together with the object – if it exists – of which they are a satellite. Assume for this that all celestial bodies are spherical.
- Objects with a satellite for which an English name is given, and which furthermore are satellites of an object with diameter greater than 3000 (km).
- Objects with two or more satellites. Assume for this that different URIs denote different objects.

**Exercise 2.2.** Translate the queries from Exercise 2.1 into expressions into SPARQL algebra.

**Exercise 2.3.** Compute the solutions to the expressions from Exercise 2.2 with respect to the knowledge base from Exercise 2.1 step by step.

**Exercise 2.4.** It is possible to use SPARQL for searching for elements for which certain information is *not* given. This is done by combining filters with optional graph patterns.

Formulate a query which asks for all celestial bodies which do not have a satellite. Assume for this that the knowledge base from Exercise 2.1 has been completed with triples which assign to every celestial body the `rdf:type ex:CelestialBody`.

**Exercise 2.5.** The game *Sudoku* is about completing incomplete tables with numbers while respecting certain rules. We consider the following simple  $4 \times 4$  Sudoku:

			3
			4
2			
3			

You have to fill in numbers with values 1 to 4 in the empty slots in the table so that no number occurs twice in any row or any column, and so that no number is duplicated within any of the marked  $2 \times 2$  squares.

We now want to use SPARQL for solving this Sudoku, i.e. we want to obtain all possible solutions by means of answers to a SPARQL query. In order to do this, set up a suitable RDF document and SPARQL query.

**Exercise 2.6.** This exercise focuses on the use of modifiers in SPARQL. Consider the following RDF document:

```
@prefix ex: <http://example.org/> .
ex:a    ex:value  "1"^^xsd:integer ;
        ex:value  "3"^^xsd:integer .
ex:b    ex:value  "2"^^xsd:integer .
```

Which result would each of the following SPARQL queries return for this RDF input?

- (a) `SELECT ?s ?v
 WHERE { ?s <http://example.org/value> ?v }
 ORDER BY ?v`
- (b) `SELECT ?s
 WHERE { ?s <http://example.org/value> ?v }
 ORDER BY ?v`
- (c) `SELECT ?s
 WHERE { ?s <http://example.org/value> ?v }
 ORDER BY DESC(?v) LIMIT 2`
- (d) `SELECT DISTINCT ?s
 WHERE { ?s <http://example.org/value> ?v }
 ORDER BY ?v`

Which result would you expect the last query to return when `LIMIT 1` is added?