

Exercise Sheet 7: Query Optimisation and FO Query Expressivity

David Carral, Markus Krötzsch

Database Theory, June 12, Summer Term 2018

Exercise 7.1. Apply the conjunctive query minimisation algorithm to find a core of the following CQs:

1. $\exists x, y, z. R(x, y) \wedge R(x, z)$
2. $\exists x, y, z. R(x, y) \wedge R(x, z) \wedge R(y, z)$
3. $\exists x, y, z. R(x, y) \wedge R(x, z) \wedge R(y, z) \wedge R(x, x)$
4. $\exists v, w. S(x, a, y) \wedge S(x, v, y) \wedge S(x, w, y) \wedge S(x, x, x)$

Exercise 7.2. Consider a fixed set of relation names (each with a given arity). Show that there is a Boolean CQ Q_{\min} without constant symbols that is most specific in the following sense:

For every BCQ Q that does not use constants, we find that $Q_{\min} \sqsubseteq Q$.


Is there also a most general BCQ Q_{\max} that contains all BCQs without constant names?

What is the answer to these questions if the considered BCQs may use constant names? What if we consider FO queries instead?

Exercise 7.3. Explain why the CQ minimisation algorithm is correct:

1. Why is the result guaranteed to be a minimal CQ?
2. Why is the result guaranteed to be unique up to bijective renaming of variables?

Exercise 7.4. For the following pairs of structures, find the maximal r such that $\mathcal{I} \sim_r \mathcal{J}$:



Exercise 7.5. A *linear order* is a relational structure with one binary relational symbol \leq that is interpreted as a reflexive, asymmetric, transitive and total relation over the domain. Up to renaming of domain elements there is exactly one linear order for every finite domain, which can be depicted as a chain of elements. We denote the linear order of size n by \mathcal{L}_n . For example:

$$\mathcal{L}_6 : 1 \leq 2 \leq 3 \leq 4 \leq 5 \leq 6 \quad \text{and} \quad \mathcal{L}_7 : 1 \leq 2 \leq 3 \leq 4 \leq 5 \leq 6 \leq 7$$

1. For which r are $\mathcal{L}_6 \sim_r \mathcal{L}_7$?
2. More generally, for which r are $\mathcal{L}_n \sim_r \mathcal{L}_{n+1}$? (*)