

Complexity Theory

**Exercise 4: Time Complexity**

23 November 2021

**Exercise 4.1.** Show that  $P$  is closed under concatenation and star.

**Exercise 4.2.** Consider the problem **CLIQUE**:

Input: An undirected graph  $G$  and some  $k \in \mathbb{N}$

Question: Does there exist a clique in  $G$  of size at least  $k$ ?

For an undirected graph  $G = (V, E)$  (i.e., with symmetric  $E \subseteq V \times V$ ), a *clique* in  $G$  of size  $k \in \mathbb{N}$  is a subset of nodes  $C \subseteq V$  with  $|C| = k$  and  $C \times C \subseteq E$ .

Suppose **CLIQUE** can be solved in time  $T(n)$  for some  $T: \mathbb{N} \rightarrow \mathbb{N}$  with  $T(n) \geq n$  for all  $n \in \mathbb{N}$ . Furthermore, show that then the optimisation problem

Input: An undirected graph  $G$

Compute: A clique in  $G$  of maximal size

can be computed in time  $\mathcal{O}(n \cdot T(n))$ . You can assume that  $T$  is monotone.

**Exercise 4.3.** Show that if a language  $L$  is NP-complete, then  $\bar{L}$  is coNP-complete.

**Exercise 4.4.** Show that if  $P = NP$ , then a polynomial-time algorithm exists that produces a satisfying assignment of a given satisfiable propositional formula.

**Exercise 4.5.** Show that finding paths of a given length in undirected graphs, i.e.,

$$\mathbf{PATH} = \{ \langle G, s, t, k \rangle \mid G \text{ contains a simple path from } s \text{ to } t \text{ of length } k \}$$

is NP-complete.

\* **Exercise 4.6.** Let  $A \subseteq 1^*$ . Show that if  $A$  is NP-complete, then  $P = NP$ .

Proceed as follows: Consider a polynomial-time reduction  $f$  from **SAT** to  $A$ . For a formula  $\varphi$ , let  $\varphi_{0100}$  be the reduced formula where variables  $x_1, x_2, x_3, x_4$  in  $\varphi$  are set to the values 0, 1, 0, 0, respectively. (The particular choice of 4 variables as well as of 0100 is arbitrary here) What happens when one applies  $f$  to all of these exponentially many reduced formulas?