

## Exercise Sheet 1: Getting to Know Graphs and the Resource Description Framework

Maximilian Marx, Markus Krötzsch

Knowledge Graphs, 2021-10-26, Winter Term 2021/2022


**Exercise 1.1.** Show that the number of vertices of odd degree is even in every simple graph.

**Exercise 1.2.** Write a program that reads a directed graph from a file in the format of Exercise 0.3 (recall that test data files are available<sup>1</sup>) and prints out the graph in METIS graph format:

```
n  m
v1 n11 n12 ... n1d1
v2 n21 n22 ... n2d2
⋮   ⋮   ⋮   ...   ⋮
vn nn1 nn2 ... nndn
```

The first line consists of two integers  $n$  and  $m$ , separated by a space, where  $n$  is the number of vertices, and  $m$  is the total number of edges. Each of the following lines specifies the neighbours  $n_i^1, n_i^2, \dots, n_i^{d_i}$  of vertex  $v_i$ .

As an example, the directed star  $S_3$  would be encoded as:



**Exercise 1.3.** A triangle in a directed graph is a simple directed path  $v_1 \xrightarrow{e_1} v_2 \xrightarrow{e_2} v_3 \xrightarrow{e_3} v_1$ .

Write a program that reads a directed graph  $G$  from a file in the format of Exercise 0.3 (cf. the test data files<sup>1</sup>) and prints out the number of triangles in  $G$ . How does the runtime of your program scale with the size of the input graph?

**Exercise 1.4.** A *bipartite graph* is a simple graph  $G = \langle V, E \rangle$ , where  $V$  can be partitioned into two sets  $X, Y$  (i.e.,  $X \cup Y = V$ , and  $X \cap Y = \emptyset$ ), such that every edge  $\{a, b\} \in E$  coincides with both  $X$  and  $Y$ , i.e.,  $\{a, b\} \cap X \neq \emptyset$  and  $\{a, b\} \cap Y \neq \emptyset$ .

Show that the following are equivalent:

1.  $G = \langle V, E \rangle$  is bipartite.
2.  $G$  is *2-colourable*, i.e., there is a map  $c : V \rightarrow \{0, 1\}$  such that no two adjacent vertices  $a, b$  have the same colour, i.e.,  $c(a) \neq c(b)$  for all  $\{a, b\} \in E$ .
3.  $G$  does not contain a cycle  $v_1 \xrightarrow{e_1} v_2 \xrightarrow{e_2} \dots \xrightarrow{e_{n-1}} v_n \xrightarrow{e_n} v_1$  of odd length.

<sup>1</sup><https://github.com/knowsys/Course-Knowledge-Graphs/tree/master/data/simple-graphs>

**Exercise 1.5.** Write a program that reads a graph in N-Triples format and checks whether the graph is bipartite. Use it to decide whether `authorship.nt.gz2` and `coauthors.nt.gz2` are bipartite.

**Hint:** each of the uncompressed graphs is roughly 4 GiB in size. In Python, you can use `gzip.GzipFile3` to process the compressed file without decompressing it first. There is also `authorship-snippet.nt.gz2`, a small part of the graph that you can use during development.

**Please note:** In order to get the correct data files, please install `git-lfs4` on your system, and then activate it in your local repository (`git lfs install`).

**Exercise 1.6.** From the `coauthors.nt.gz` graph<sup>2</sup>, extract the *connected component* containing `<http://dblp.uni-trier.de/pers/s/Studer:Rudi>`, i.e., extract the induced subgraph that

- contains `<http://dblp.uni-trier.de/pers/s/Studer:Rudi>`,
- contains all nodes reachable from `<http://dblp.uni-trier.de/pers/s/Studer:Rudi>` by some path, and
- contains all edges that are present in the full graph between these nodes.

Note that, while an RDF graph is inherently directed, edges in `coauthors.nt.gz` are symmetric, i.e., the graph is essentially undirected.

**Hint:** `authorship-snippet.nt.gz2` contains `<http://dblp.uni-trier.de/pers/s/Studer:Rudi>` and can be used for testing during development.

---

<sup>2</sup><https://github.com/knowsys/Course-Knowledge-Graphs/tree/master/data/dblp>

<sup>3</sup><https://docs.python.org/3/library/gzip.html>

<sup>4</sup><https://git-lfs.github.com/>