

Foundations of Databases and Query Languages

Exercise 9: Datalog

26 June 2015

Exercise 9.1 Show that any Datalog program can be expressed as a safe Datalog program that is polynomial in size of the original program and given schema.

Exercise 9.2 Assume that the database uses a binary EDB predicate `edge` to store a directed graph. Try to express the following properties in semipositive Datalog programs with a successor ordering, or explain why this is not possible.

- (a) The database contains an even number of elements.
- (b) The graph contains a node with two outgoing edges.
- (c) The graph is 3-colourable.
- (d) The graph is *not* connected.
- (e) The graph does not contain a node with two outgoing edges.
- (f) The graph is a chain.

Exercise 9.3 In the lecture, we have used a restricted form of propositional Horn logic where all rules are of the form $H \leftarrow$ or $H \leftarrow B_1 \wedge B_2$. We refer to this logic as *propHorn2*.

It was claimed that entailment checking in *propHorn2* is P-hard. To support this claim, explain how entailment in propositional Horn logic can be reduced to entailment in *propHorn2*. Argue how this reduction can be accomplished in logarithmic space.

Exercise 9.4 Prove that entailment checking in propositional Horn logic is P-hard.

Hint: Modify the EXPTIME Turing machine simulation from the lecture to simulate a PTIME Turing machine instead.

Exercise 9.5 Show that the following property cannot be expressed in Datalog:

The edge predicate has a *proper* cycle, i.e., a cycle that is not of the form $\text{edge}(a, a)$.

Can you express this property using ...

- (a) ... a successor ordering?
- (b) ... atomic negation?
- (c) ... an equality predicate \approx with the obvious semantics?
- (d) ... an inequality predicate \neq with the obvious semantics?

Exercise 9.6 Consider the query mapping that returns all pairs of elements in a database that are connected by a directed `edge` path of length ℓ^2 for some $\ell \geq 0$. Paths do not have to be simple, i.e., the same edge might be used more than once.

- (a) Show that this query mapping is closed under homomorphisms.
- (b) Show that this query cannot be expressed in Datalog (*).

Hint: for (b), show a kind of “pumping lemma”. In detail, show that, for every Datalog program P , there is a number $\ell \geq 0$, such that every proof tree that entails an answer for a path of length ℓ^2 can be extended (“pumped”) to obtain larger proof trees that recognise paths of lengths that are not square numbers.