



Database Theory

Summer Semester 2016

Exercise Sheet 5 – Treewidth and Hypertreewidth


23rd May 2016

Dr. rer. pol. Markus Krötzsch & Dipl.-Math. Francesco Kriegel


Exercise 5.1 Construct the query hypergraph and the primal graph for the following queries:

- (a) $\exists x, y, z, u, v. r(x, y, z, u) \wedge s(z, u, v)$
- (b) $\exists x, y, z, u, v. a(x, y) \wedge b(y, z) \wedge c(z, u) \wedge d(u, v) \wedge e(v, z) \wedge f(z, x) \wedge d(x, u) \wedge d(u, y)$

Exercise 5.2 Determine the treewidth of each of the following graphs and provide a suitable tree decomposition. Argue why there cannot be a tree decomposition of smaller width.



Exercise 5.3 Show that the $n \times n$ grid has a treewidth $\leq n$ by finding a suitable tree decomposition of width n . For example, the following 4×4 grid has treewidth 4:



Hint. An alternative approach to finding a suitable tree decomposition is to develop a winning strategy for $n + 1$ cops in the cops & robbers game.

Exercise 5.4 Show that a clique (fully connected graph) of size n has treewidth $n - 1$.

Hint. It is clear that the treewidth cannot be larger than $n - 1$; the task is to show that it cannot be smaller.

Exercise 5.5 Recall that a graph is 3-colourable if one can assign three colours to its vertices in such a way that neighbouring vertices never share the same colour. Let \mathcal{C}_3 be the set of all 3-colourable graphs. Are the graphs in \mathcal{C}_3 of bounded or unbounded treewidth? Explain your answer.

Exercise 5.6 Decide whether the following claims are true or false. Explain your answer.

- (a) Deleting an edge from a graph may make the treewidth smaller but never larger.
- (b) Deleting a vertex from a graph (and removing all of its edges) may make the treewidth smaller but never larger.


- (c) Deleting a hyperedge from a hypergraph may make the hypertree width smaller but never larger.
- (d) Deleting a vertex from a hypergraph (and contracting all of its edges) may make the hypertree width smaller but never larger.

Exercise 5.7 The following BCQ corresponds to graph (a) in Exercise 2:

$$\exists x_1, x_2, x_3, x_4, x_5, x_6, x_7, x_8. r(x_1, x_2) \wedge r(x_1, x_3) \wedge r(x_2, x_4) \wedge r(x_3, x_4) \wedge r(x_3, x_5) \wedge r(x_4, x_6) \wedge r(x_5, x_6) \wedge r(x_5, x_7) \wedge r(x_6, x_8) \wedge r(x_7, x_8)$$

According to the logical characterisation from the lecture, this query can be expressed in the \exists - \wedge -fragment of FO using only treewidth+1 variables. Find such a formula.

Exercise 5.8 Consider *Adler's Hypergraph*:



Play the marshals & robber game on this graph. It might be convenient to use small objects that can be moved around on the printed exercise sheet.

- (a) Can one marshal catch the robber?
- (b) Can two marshals catch the robber?
- (c) Can three marshals catch the robber?

Adler [Journal of Graph Theory, 2001] proposed this graph as an example where fewer marshals can win if they are allowed to play non-monotonically, that is, if they are not required to shrink the remaining space in each turn. Can you confirm her findings?

- (*) Can you explain why non-monotone play it is unavoidable in one of the above cases if the marshals want to win?

Hint. Observe that controlling the nodes a and b is of special importance to win the game' and use this observation to narrow down the relevant strategies.